

**Mitchell S. Cairo, M.D.**

Chief, Pediatric Hematology, Oncology and Stem Cell Transplantation

Director, Children and Adolescent Cancer and Blood Diseases Center

Associate Chairman, Department of Pediatrics

Professor of Pediatrics, Medicine, Pathology, Microbiology & Immunology and Cell Biology & Anatomy

**Selected Bibliography (108 selected from 350)**

Cairo, M.S., Mallett, C., VandeVen, C., Kempert, P., Bennetts, G.A., Katz, J. Impaired in vitro polymorphonuclear function secondary to the chemotherapeutic effects of vincristine, adriamycin, cyclophosphamide and actinomycin-D. *Journal of Clinical Oncology* 1986; 4 (5):798-804.

Cairo, M.S., C. Worcester, R. Rucker, G. Bennetts, R. Amlie, R. Perkin, N. Anas, D. Hicks. Role of circulating complement and polymorphonuclear leukocyte transfusion in the treatment and outcome of critically ill neonates with sepsis. *Journal of Pediatrics* 1987; 110(6):935-943.

Ellis, M, Gupta, S., Galant, S., Hakim, S., VandeVen, C, Toy, C, and Cairo, M.S. Impaired neutrophil function in patients with AIDS or AIDS-related complex: a comprehensive evaluation. *Journal of Infectious Diseases* 1988; 158(6):1268-1276.

Cairo, M.S., Siegel, S., Anas, N., Sender, L. Clinical trial of continuous infusion Verapamil, bolus Vinblastine, and continuous infusion VP-16 in drug-resistant pediatric tumors. *Cancer Research*, 1989; 49:1063-1066.

Cairo, M.S., Mauss, D., Van deVen, C. Seven day administration of rhG-CSF to newborn rats: modulation of neonatal neutrophilia, myelopoiesis and group B streptococcus sepsis. *Blood*, 1990; 76:1788-1794.

Cairo, M.S., Worcester, C.C., Rucker, R.W., Hanten, S., Amlie, R.N., Sender, L., Hicks, D.A. Randomized trial of granulocyte transfusions versus intravenous immune globulin therapy for neonatal neutropenia and sepsis. *Journal of Pediatrics* 1992; 120(2):281-285.

Cairo, M.S., Suen, Y., Renick, L., Sender, L., Gillan, E.R., Ho, W., Plunkett, J.M., van de Ven, C. Circulating G-CSF levels after allogeneic and autologous bone marrow transplantation: Endogenous G-CSF production correlates with myeloid engraftment. *Blood* 1992; 79(7):1869-1873.

Cairo, M.S., Gillan, E.R., Weinthal, J, Yancik, S, van de Ven, C, Buzby, J.S., Suen, Y. Decreased endogenous circulating steel factor (SLF) levels following allogeneic and autologous bone marrow transplantation: Lack of significant correlation with post-BMT myeloid engraftment. *Bone Marrow Transplantation* 1993; 11:155-161.

Buzby, J.S., Knopel, E.M., Lyman, S.D., Cairo, M.S. Coordinate regulation of *Steel* factor with its receptor (kit) and cytoadhesion molecules (ICAM-1 and ELAM-1) in human vascular endothelial cells of diffusing origin. *Experimental Hematology* 1994; 22:122-129.

Chang, M., Suen, Y., Lee, S., Buzby, J.S., Knoppel, E., Wolpe, S., and Cairo, M.S. Transforming growth factor-beta 1 (TGF- $\beta$ 1), macrophage inflammatory protein 1 alpha (MIP-1 $\alpha$ ), and interleukin-8 (IL-8) mRNA expression is lower in stimulated human neonatal mononuclear cells compared to adults. *Blood* 1994; 84:118-124.

Gillan, E.R., Christensen, R.D., Suen, Y., Ellis, R., van de Ven, C., and Cairo, M.S. A randomized, placebo-controlled trial of recombinant human granulocyte-colony stimulating factor administration to newborn infants with presumed sepsis. *Blood* 1994; 84:1427-1433.

Wells, R.J., Gold, S.H., Krill, C.E., Cornelius, A.S., Byrd, R.L., Ruymann, F.B., Feusner, J., White, M.L., and Cairo, M.S. Cytosine arabinoside and mitoxantrone induction chemotherapy followed by bone marrow transplantation or chemotherapy for relapsed or refractory pediatric acute myeloid leukemia. *Leukemia* 1994; 8:1626-1630.

Suen, Y., Lee, S.M., Buzby, J.S., and Cairo, M.S. Regulation of interleukin-11 protein and mRNA expression in neonatal and adult fibroblasts and endothelial cells. *Blood* 1994; 84:4125-4134.

Suen, Y., Lee, S., Shreurs, J., Knoppel, E., and Cairo, M.S. Decreased macrophage colony-stimulating factor mRNA expression from activated cord versus adult mononuclear cells: altered post transcriptional stability. *Blood* 1994; 84:4269-4277.

Cairo, M.S., Christensen, R., Sender, L.S., Ellis, R., Rosenthal, J., van de Ven, C., Worcester, C., and Agosti, J.M. Results of a phase I/II trial of recombinant human granulocyte-macrophage colony-stimulating factor in very low birthweight neonates: significant induction of circulatory neutrophils, monocytes, platelets, and bone marrow neutrophils. *Blood* 1995; 86:2509-2515.

van de Ven, C., Ishizawa, L., Law, P., and Cairo, M.S. IL-11 in combination with steel factor and G-CSF or GM-CSF significantly increases expansion of isolated CD34+ stem cells from cord blood versus adult bone marrow. *Experimental Hematology* 1995; 23:1289-1295.

Lee, S.M., Suen, Y., Chang, L., Bruner, V., Qian, J., Indes, J., Knoppel, E., van de Ven, C., and Cairo, M.S. Decreased interleukin-12 (IL-12) from activated cord vs. adult peripheral blood mononuclear cells (MNC) and upregulation of interferon- $\gamma$ , natural killer and lymphokine-activated killer activity by IL-12 in cord blood MNC. *Blood* 1996; 88:945-954.

Wagner, J.E., Rosenthal, J., Sweetman, R., Shu, X.O., Davies, S.M., Ramsay, N.K.C., McGlave, P.B., Sender, L., and Cairo, M.S. Successful transplantation of HLA-matched and HLA-mismatched umbilical cord blood from unrelated donors: analysis of engraftment and acute graft-versus-host disease. *Blood* 1996; 88:795-802.

Buzby, J.S., Lee, S.M., Van Winkle, P., DeMaria, C.T., Brewer, G., and Cairo, M.S. Increased granulocyte-macrophage colony-stimulating factor mRNA instability in cord versus adult mononuclear cells is translation-dependent and associated with increased levels of A+U-rich element binding factor. *Blood* 1996; 88:2889-2897.

Chang, M., Suen, Y., Meng, G., Buzby, J.S., Bussel, J., Shen, V., van de Ven, C., and Cairo, M.S. Differential mechanisms in the regulation of endogenous levels of thrombopoietin and interleukin-11 during thrombocytopenia: insight into the regulation of platelet production. *Blood* 1996; 88:3354-3362.

Williams, S.A., Chang, L., Buzby, J.S., Suen, Y., and Cairo, M.S. Cationic lipids reduce time and dose of *c-myc* antisense oligodeoxynucleotides required to specifically inhibit Burkitt's lymphoma cell growth. *Leukemia* 1996; 10:1980-1989.

Masera, G., Pession, A., Rondelli, R., Valsecchi, M.G., Reiter, A., Riehm, H., Schrappe, M., McIntyre, O.R., Bleyer, W.A., Cairo, M., Gaynon, P., Reaman, G., Sather, H., Trigg, M., Auclerc, M.F., Bancillon, A., Lepage, E., Schaison, G., Clavell, L., Datton, V., Donnelly, M., Gelber, R., Sallan, S.E. Duration and intensity of maintenance chemotherapy in acute lymphoblastic leukaemia: 42 trials involving 12,000 randomised children. *Lancet* 1996; 347:1783-1788.

van de Ven, C., Fernandez, G.W., Herbst, T., Knoppel, A., and Cairo, M.S. Sequential treatment with rmlL-3 or simultaneous treatment with rmlL-3 or rhIL-11 with thrombopoietin (TPO) fails to enhance *in vivo* rat thrombopoiesis. *Experimental Hematology* 1997; 25:1005-1012.

Qian, J.X., Lee, S.M., Suen, Y., Knoppel, E., van de Ven, C., and Cairo, M.S. Decreased interleukin-15 from activated cord versus adult peripheral blood mononuclear cells and the effect of interleukin-15 in upregulating antitumor immune activity and cytokine production in cord blood. *Blood* 1997; 90:3106-3117.

Cairo, M.S. and Wagner, J.E. Placental and/or umbilical cord blood: An alternative source of hematopoietic stem cells for transplantation. *Blood* 1997; 90:4665-4678.

Van de Ven, C., Fernandez, G.W., Herbst, T., Knoppel, A., Kulczyk, S. T., and Cairo, M.S. The hematopoietic effects of thrombopoietin (TPO) administered post myelosuppressive carboplatin therapy compared to either pre & post or pre chemotherapy. *British Journal of Haematology* 1998; 102(3), 775-782.

Cairo, M.S., Agosti, J., Ellis, R., Laver, J.J., Puppala, B., deLemos, R., Givner, L., Nesin, M., Wheeler, J.G., Seth, T., van de Ven, C., Fanoroff, A., and the Very Low Birthweight Neonate GM-CSF Consortium. A randomized, double-blind, placebo-controlled trial of prophylactic recombinant human granulocyte-macrophage colony-stimulating factor to reduce nosocomial infections in very low birth weight neonates. *Journal of Pediatrics* 1999; 134:64-70.

Abu-Ghosh, A., Goldman, S., Slone, V., van de Ven, C., Suen, Y., Murphy, L., Sender, L., and Cairo, M.S. Immunological reconstitution and correlation of circulating serum inflammatory mediators/cytokines with the incidence of acute graft versus host disease (aGVHD) during the first one hundred days following unrelated umbilical cord blood transplantation (UCBT). *Bone Marrow Transplantation* 1999; 24:533-544.

Lones, M.A., Perkins, S.L., Sposto, R., Kadin, M.E., Kjeldsberg, C.R., Wilson, J.F., and Cairo, M.S. Large cell lymphoma arising in the mediastinum in children and adolescents is associated with an excellent outcome: A Children's Cancer Group Report. *Journal of Clinical Oncology* 2000; 18:3845-3853.

Bracho, F., Krailo, M.D., Shen, V., Bergeron, S., Davenport, V., Liu-Mares, W., Blazar, B.R., Panoskaltis-Mortari, A., van de Ven, C., Secola, R., Ames, M., Reid, J.M., Reaman, G.H., and Cairo, M.S. A phase I clinical, pharmacological and biological trial of interleukin-6 plus granulocyte-colony stimulating factor after ifosfamide, carboplatin, and etoposide in children with recurrent/refractory solid tumors: Enhanced hematological responses but a high incidence of grade III/IV constitutional toxicities. *Clinical Cancer Research* 2001; 7:58-67.

Houtenbos, I., Bracho, F., Davenport, V., Slack, R., Van de Ven, C., Suen, Y., Killen, R., Shen, V., and Cairo, M.S. Autologous bone marrow transplantation for childhood acute lymphoblastic leukemia: a novel combined approach consisting of ex vivo marrow purging, modulation of multi-drug resistance, induction of auto graft vs leukemia effect, and post-transplant immuno- and chemotherapy (PTIC). *Bone Marrow Transplantation* 2001; 27:145-153.

Goldman, S.C., Holcenberg, J.S., Finklestein, J.Z., Hutchinson, R., Kreissman, S., Johnson, F.L., Tou, C., Harvey, E., Morris, E., and Cairo, M.S. A randomized comparison between rasburicase and allopurinol in children with lymphoma or leukemia at high risk of tumor lysis. *Blood* 2001; 97(10):2998-3003.

Laughlin, M.J., Barker, J., Bambach, B., Koc, O.N., Rizzieri, D.A., Wagner, J.E., Gerson, S.L., Lazarus, H.M., Cairo, M., Stevens, C.E., Rubinstein, P., and Kurtzberg, J. Hematologic engraftment and survival in adult recipients of umbilical-cord blood from unrelated donors. *New England Journal of Medicine* 2001; 344:1815-1822.

Sulis, M.L., Van de Ven, C., Henderson, T., Anderson, L., and Cairo, M.S. Liposomal amphotericin B (AmBisome) compared with amphotericin B  $\pm$  FMLP induces significantly less in vitro neutrophil aggregation with granulocyte-colony-stimulating factor/dexamethasone-mobilized allogeneic donor neutrophils. *Blood* 2002; 99 (1):384-386.

Robinson, K.L., Ayello, J., Hughes, R., van de Ven, C., Issitt, L., Kurtzberg, J., and Cairo, M.S. Ex vivo expansion, maturation and activation of umbilical cord blood-derived T-lymphocytes with IL-2, IL-12, anti-CD3 and IL-7: Potential for adoptive cellular immunotherapy post umbilical cord blood transplantation. *Experimental Hematology*, 2002; 30:245-251.

Cairo, M.S., Krailo, M.D., Morse, M., Hutchinson, R.J., Harris, R.E., Kjeldsberg, C.R., Kadin, M.D., Radel, E., Steinherz, L.J., Morris, E., Finlay, J.L., and Meadows, A.T. Long-term follow-up of short intensive multiagent chemotherapy without high-dose methotrexate ("Orange") in children with advanced non-lymphoblastic non-Hodgkin's lymphoma. A Children's Cancer Group Report. *Leukemia*, 2002; 16:594-600.

Lones, M.A., Perkins, S.L., Sposto, R., Tedeschi, N., Kadin, M., Kjeldsberg, C.R., Wilson, J.F., Zwick, D.L., and Cairo, M.S. Non-Hodgkin's lymphoma arising in bone in children and adolescents is associated with an excellent outcome: A Children's Cancer Group Report. *Journal of Clinical Oncology*, 2002; 20 (9):2293-2310.

Cairo, M.S., Sposto, R., Perkins, S., Meadows, A., Hoover-Regan, M., Anderson, J., Siegel, S.E., Lones, M., Tedeschi-Blok, N., Kadin, M., Kjeldsberg, C., Wilson, J., Sanger, W., Morris, E., Krailo, M., and Finlay, J. Burkitt's and Burkitt-like lymphoma in children and adolescents: a review of the Children's Cancer Group Experience. *British Journal of Haematology* 2003; 120:1-11.

Cairo, M.S., Sposto, R., Hoover-Regan, M., Meadows, A.T., Anderson, J.R., Siegel, S.E., Kadin, M.E., Kjeldsberg, C.R., Wilson, J.F., Perkins, S.L., Lones, M.A., Morris, E., and Finlay, J.L. Childhood and adolescent large cell lymphoma (LCL). A review of the Children's Cancer Group Experience. *American Journal of Hematology* 2003; 72:53-63.

Orjuela, M., Gross, T.G., Cheung, Y-K, Alobeid, B., Morris, E., and Cairo, M.S. A pilot study of chemoimmunotherapy (cyclophosphamide, prednisone, and rituximab) (CPR) in patients with post-transplant lymphoproliferative disorder (PTLD) following solid organ transplantation (SOT). *Clinical Cancer Research* 2003; 9:3945s-3952s.

Del Toro, G., Satwani, P., Harrison, L., Cheung, Y-K, Bradley, M.B., George, D., Yamashiro, D.J., Garvin, J., Skerrett, D., Bessmertny, O., Wolownik, K., Wischhover, C., van de Ven, C., and Cairo, M.S. A pilot study of reduced intensity conditioning and allogeneic stem cell transplantation from unrelated cord blood and matched family donors in children and adolescent recipients. *Bone Marrow Transplantation* 2004; 33 (6):613-622.

Osunkwo, I., Bessmertny, O., Harrison, L., Cheung, Y-K, van de Ven, C., Del Toro, G., Garvin, J., George, D., Bradley, M.B., Wolownik, K., Wischhover, C., Levy, J., Skerrett, D., and Cairo, M.S. A pilot study of tacrolimus and mycophenolate mofetil graft-versus-host disease prophylaxis in childhood and adolescent allogeneic stem cell transplant recipients. *Biology of Blood and Marrow Transplantation* 2004; 10 (4):246-258.

Styczynski, J., Cheung, Y-K, Garvin, J., Savage, D.G., Billote, G.B., Harrison, L., Skerrett, D., Wolownik, K., Wischhover, C., Hawks, R., Bradley, M.B., Del Toro, G., George, D., Yamashiro, D., van de Ven, C., and Cairo, M.S. Outcomes of unrelated cord blood transplantation in pediatric recipients. *Bone Marrow Transplantation* 2004; 34:129-136.

Jiang, H, Van de Ven, C., Satwani, P., Baxi, L.B., and Cairo, M.S. Differential gene expression patterns by oligonucleotide microarray of basal versus lipopolysaccharide (LPS)-activated monocytes from cord blood versus adult peripheral blood. *Journal of Immunology* 2004; 172:5870-5879.

Cairo, M.S., and Bishop, M. Tumour Lysis Syndrome: new therapeutic strategies and classification. *British Journal of Haematology* 2004; 127:3-11.

Cairo, M.S., Davenport, V., Bessmertny, O., Goldman, S.C., Berg, S.L., Kreissman, S.G., Laver, J., Shen, V., Secola, R., van de Ven, C., and Reaman, G.H. Phase I/II dose escalation study of recombinant human interleukin-11 following ifosfamide, carboplatin, and etoposide in children, adolescents and young adults with solid tumours or lymphoma: a clinical, haematological and biological study. *British Journal of Haematology* 2005;128:49-58.

Kurtzberg, J., Cairo, M.S., Fraser, J.K., Baxter-Lowe, L., Cohen, G., Carter, S.L., and Kernan, N.A. Results of the Cord Blood Transplantation (COBLT) Study unrelated donor banking program. *Transfusion* 2005;45(6):842-855.

Cairo, M.S., Wagner, E.L., Fraser, J., Cohen, G., van de Ven, C., Carter, S.L., Kernan, N.A., and Kurtzberg, J. Characterization of banked umbilical cord blood hematopoietic progenitor cells and lymphocyte subsets and correlation with ethnicity, birthweight, sex and type of delivery: a Cord Blood Transplantation (COBLT) Study report. *Transfusion* 2005;45(7):856-866.

Angiolillo, A.L., Davenport, V., Bonilla, M.A., van de Ven, C., Ayello, J., Bessmertny, O., Miller, L., Krailo, M., Adamson, P., Reaman, G., and Cairo, M.S. A phase I clinical, pharmacological and biological study of thrombopoietin (rhTPO) plus G-CSF in children receiving ifosfamide, carboplatin, and etoposide (ICE) chemotherapy for recurrent or refractory solid tumors (CCG-09717): A Children's Oncology Group (COG) experience. *Clinical Cancer Research* 2005;11:2644-2650.

Satwani, P., Ayello, J., van de Ven, C., O'Neill, A.F., Simpson, L.L., Baxi, L., and Cairo, M.S. Immaturity of IL-18 gene expression and protein production in cord blood (CB) versus peripheral blood (PB) mononuclear cells and differential effects in natural killer (NK) cell development and function. *British Journal of Haematology* 2005;130:284-292.

Chang, C-C., Satwani, P., Oberfield, N., Simpson, L.L., and Cairo, M.S. Increased induction of allogeneic-specific cord blood CD4<sup>+</sup>CD25<sup>+</sup> regulatory T (Treg) cells: A comparative study of naïve and antigen-specific cord blood Treg cells. *Experimental Hematology* 2005;33:1508-1520.

Ayello, J., van de Ven, C., Fortino, W., Wade-Harris, C., Satwani, P., Baxi, L., Simpson, L.L., Sanger, W., Pickering, D., Kurtzberg, J., and Cairo, M.S. Characterization of cord blood natural killer and lymphokine activated killer lymphocytes following ex vivo cellular engineering. *Biology of Blood and Marrow Transplantation* 2006; 12:608-622.

Unal, E., Yen, C., Saiman, L., George, D., Della-Latta, P., van de Ven, C., Morris, E., Bradley, M.B., Del Toro, G., Garvin, J., Bhatia, M., Schwartz, J., Satwani, P., Roman, E., Cooney, E., Wolownik, K., Hawks, R., Foley, S., and Cairo, M.S. A low incidence of nontuberculous mycobacterial infections in pediatric hematopoietic stem cell transplantation recipients. *Biology of Blood and Marrow Transplantation* 2006; 12 (11):1188-1197.

Cairo, M.S., Gerrard, M., Sposto, R., Auperin, A., Pinkerton, C.R., Michon, J., Weston, C., Perkins, S.L., Raphael, M., McCarthy, K., and Patte, C. Results of a randomized international study of high-risk central nervous system B non-Hodgkin lymphoma and B acute lymphoblastic leukemia in children and adolescents. *Blood* 2007;109:2736-2743.

Patte, C., Auperin, A., Gerrard, M., Michon, J., Pinkerton, R., Sposto, R., Weston, C., Raphael, M., Perkins, S.L., McCarthy, K., and Cairo, M.S. Results of the randomized international FAB/LMB96 trial for intermediate risk B-cell non-Hodgkin lymphoma in children and adolescents: it is possible to reduce treatment for the early responding patients. *Blood* 2007;109:2773-2780.

Satwani, P., Sather, H., Ozkaynak, F., Heerema, N., Schultz, K.R., Sanders, J., Kersey, J., Davenport, V., Trigg, M., and Cairo, M.S. Allogeneic bone marrow transplantation in first remission for children with ultra-high-risk features of acute lymphoblastic leukemia: A Children's Oncology Group study report. *Biology of Blood and Marrow Transplantation* 2007; 13:218-227.

Miles, R.R., Cairo, M.S., Satwani, P., Zwick, D.L., Lones, M.A., Sposto, R., Abromovitch, M., Tripp, S., Angiolillo, A.L., Roman, E., Davenport, V., Perkins, S.L. Immunophenotypic identification of possible therapeutic targets in paediatric non-Hodgkin lymphomas: A Children's Oncology Group report. *British Journal of Haematology* 2007; 138:506-512.

Cooney-Qualter, E., Krailo, M., Angiolillo, A., Fawwaz, R.A., Wiseman, G, Harrison, L., Kohl, V., Adamson, P.C., Ayello, J., van de Ven, C., Perkins, S.L., and Cairo, M.S. A phase I study of <sup>90</sup>Yttrium-ibritomomab-tiuxetan in children and adolescents with relapsed/refractory CD20-positive non-Hodgkin's lymphoma: a Children's Oncology Group study. *Clinical Cancer Research* 2007;13:5652s-5660s, 2007.

Bradley, M.B., Satwani, P., Baldinger, L., Morris, E., van de Ven, C., Del Toro, G., Garvin, J., George, D., Bhatia, M., Roman, E., Baxter-Lowe, L. A., Schwartz, J., Qualter, E., Hawks, R., Wolownik, K., Foley, S., Militano, O., Leclere, J., Cheung, Y-K, and Cairo, M.S. Reduced intensity allogeneic umbilical cord blood transplantation in children and adolescent recipients with malignant and non-malignant diseases. *Bone Marrow Transplantation* 2007; 40:621-631.

van de Ven, C., Collins, D., Bradley, M.B., Morris, E., and Cairo, M.S. The potential of umbilical cord blood multipotent stem cells for non-hematopoietic tissue and cell regeneration. *Experimental Hematology* 2007; 35(12):1753-1764.

Bradley, M.B., and Cairo, M.S. Stem cell transplantation for pediatric lymphoma: past, present and future. *Bone Marrow Transplantation* 2008; 41(2):149-158.

Cairo, M.S., Rocha, V., Gluckman, E., Hale, G., Wagner, J. Alternative allogeneic donor sources for transplantation for childhood diseases: unrelated cord blood and haploidentical family donors. *Biology of Blood and Marrow Transplantation* 2008; 14 (1):44-53.

Coiffier, B., Altman, A., Pui, C-H, Younes, A., Cairo, M.S. Guidelines for the management of pediatric and adult tumor lysis syndrome: an evidence based review. *Journal of Clinical Oncology* 2008;26 (16):2767-2778, 2008.

Raetz, E.A., Cairo, M.S., Borowitz, M.J., Blaney, S.M., Krailo, M.D., Leil, T.A., Reid, J.M., Goldenberg, D.M., Wegener, W.A., Carroll, W.L., and Adamson, P.S. Chemoimmunotherapy re-induction with epratuzumab in children with ALL in marrow relapse: a Children's Oncology Group (COG) pilot study. *Journal of Clinical Oncology* 2008; 26 (22):3756-3762.

Gerrard, M., Cairo, M.S., Weston, C., Auperin, A., Pinkerton, R., Lambilliotte, A., Sposto, R., McCarthy, K., Terrier Lacombe, M.J., Perkins, S.L., Patte, C. Excellent survival following two courses of COPAD chemotherapy in children and adolescents with resected localized B-cell non-Hodgkin's lymphoma: Results of the FAB/LMB 96 International Study. *British Journal of Haematology* 2008; 14(6):840-847.

Hochberg, J., Waxman, I.M., Kelly, K.M., Morris, E., Cairo, M.S. Adolescent non-Hodgkin lymphoma and Hodgkin lymphoma: state of the science. *British Journal of Haematology* 2009;144:24-40.

Abromowitch, M., Sposto, R., Perkins, S., Zwick, D., Siegel, S., Finlay, J., and Cairo, M.S. Shortened intensified multiagent chemotherapy and non-cross resistant maintenance therapy for advanced lymphoblastic lymphoma in children and adolescents: report from the Children's Oncology Group. *British Journal of Haematology* 2008; 143(2):261-267.

\*Poirel, H.A., Cairo, M.S. (co-primary first authors), Heerema, N.A., Swansbury, J., Auperin, A., Launay, E., Sanger, W.G., Talley, P., Perkins, S.L., Raphael, M., McCarthy, K., Sposto, R., Gerrard, M., Bernheim, A., and Patte, C. Specific cytogenetic abnormalities are associated with a significantly inferior outcome in children and adolescents with mature B-cell non-Hodgkin's lymphoma: results of the FAB/LMB96 international study. *Leukemia* 2009; 23:323-331.

Ayello, J., van de Ven, C., Cairo, E., Hochberg, J., Baxi, L., Satwani, P., and Cairo, M.S. Characterization of natural killer (NK) and natural killer-like T (NKT) cells derived from ex-vivo expanded and activated cord blood mononuclear cells: Implications for adoptive cellular immunotherapy (ACI). *Experimental Hematology* 2009; 37:1216-1229.

Satwani, P., Baldinger, L., Freedman, J., Jacobson, J.S., Guerra, J., van de Ven, C., Morris, E., Garvin, J., George, D., Bradley, M.B., Bhatia, M., Tallamy, B., Schwartz, J., Jin, Z., and Cairo, M.S. Incidence of viral and fungal infections following busulfan-based reduced-intensity versus myeloablative conditioning in pediatric allogeneic stem cell transplant recipients. *Biology of Blood and Marrow Transplantation* 2009; 15:1587-1595.

Jiang, H., van de Ven, C., Baxi, L., Satwani, P., and Cairo, M.S. Differential gene expression signatures of adult peripheral blood vs cord blood monocyte-derived immature and mature dendritic cells. *Experimental Hematology* 2009; 37:1201-1215.

Bhatia, M., Militano, O., Jin, Z., Figurski, M., Shaw, L., Moore, V., Morris, E., Tallamy, B., van deVen, C., Ayello, J., Baxter-Lowe, S., Satwani, P., George, D., Bradley, M.B., Garvin, J., and Cairo, M.S. An age dependent pharmacokinetic study of intravenous and oral mycophenolate mofetil in combination with tacrolimus for GVHD prophylaxis in pediatric allogeneic stem cell transplantation recipients. *Biology of Blood and Marrow Transplantation* 2010; 16(3):333-343. PMID: 19835971

Nelson, M., Perkins, S.L., Dave, B.J., Coccia, P.F., Bridge, J.A., Lyden, E.R., Heerema, N.A., Lones, M.A., Harrison, L., Cairo, M.S., and Sanger, W.B. An increased frequency of 13q deletions detected by fluorescence in situ hybridization and its impact on survival in children and adolescents with Burkitt lymphoma: results from the Children's Oncology Group study CCG-5961. *British Journal of Haematology* 2010; 148 (4):600-610. PMID: 19895612 PMCID: PMC2921871

Cairo, M.S., Coiffier, B., Reiter, A., Younes, A., on behalf of the TLS expert panel. Recommendations for the evaluation of risk and prophylaxis of tumour lysis syndrome (TLS) in adults and children with malignant diseases: An expert panel consensus. *British Journal of Haematology* 2010; 149(4):578-586. PMID: 20331465

Cairo, M.S., Jordan, C.T., Maley, C.C., Chao, C., Melnick, A., Armstrong, S.A., Shlomchik, W., Molldrem, J., Ferrone, S., Mackall, C., Zitvogel, L., Bishop, M., Giralt, S.A., June, C.H. NCI First International Workshop on the biological considerations of hematological relapse following allogeneic stem cell transplantation unrelated to graft-versus-tumor effects: State of the science. *Biology of Blood and Marrow Transplantation* 2010; 16(6):709-728. PMID: 20227509

Bishop, M.R., Alyea, E.P., Cairo, M.S., Falkenburg, J.H.F., June, C.H., Kroger, N., Little, R.F., Miller, J.S., Pavletic, S.Z., Porter, D., Riddell, S.R., van Besien, K., Wayne, A.S., Weisdorf, D.J., Wu, R., Giralt, S. National Cancer Institute's First International Workshop on the Biology, Prevention, and Treatment of Relapse after Allogeneic Hematopoietic Stem Cell Transplantation. *Biology of Blood and Marrow Transplantation* 2010; 16(5):563-564. PMID: 21224011 PMCID: PMC3102296

Harris, R.E., Termuhlen, A.M., Smith, L.M., Lynch, J., Henry, M.M., Perkins, S.L., Gross, T.G., Warkentin, P., Vlachos, A., Harrison, L., and Cairo, M.S. Autologous peripheral blood stem cell transplantation in children with refractory or relapsed lymphoma: results of Children's Oncology Group study A5962. *Biology of Blood and Marrow Transplantation* 2011; 17(2):249-258. PMID: 20637881 PMCID: PMC3072756

Berg, S.L., Cairo, M.S., Russell, H., Ayello, J., Ingle, A.M., Lau, H., Chen, N., Adamson, P.C., Blaney, S. Safety, pharmacokinetics and immunomodulatory effects of lenalidomide in children and adolescents with relapsed/refractory solid tumors or myelodysplastic syndrome: A Children's Oncology Group Phase I Consortium Report. *Journal of Clinical Oncology*, 2011; 29(3): 316-323. PMID: 21149673 PMCID: PMC3056465

Liao, Y., Geyer, M.B., Yang, A.J., and Cairo, M.S. Cord blood transplantation and stem cell regenerative potential. *Experimental Hematology* 2011; 39(4):393-412. PMID: 21238533

Orjuela, M.A., Alobeid, B., Liu, X., Siebert, A., Kott, E.R., Addonizio, L.J., Morris, E., Garvin, J.H., Lobritto, S.J., Cairo, M.S. CD20 expression predicts survival in paediatric post-transplant lymphoproliferative disease (PTLD) following solid organ transplantation. *British Journal of Haematology* 2011; 152 (6):733-742. PMID: 21275950

Styczynski, J., Tallamy, B., Waxman, I., van de Ven, C., Milone, M.C., Shaw, L.M., Harrison, L., Morris, E., Satwani, P., Bhatia, M., George, D., Bradley, M.B., Garvin, J.H., Schwartz, J., Baxter-Lowe, L.A., Cairo, M.S. A pilot study of reduced toxicity conditioning with BU, fludarabine and alemtuzumab before the allogeneic hematopoietic SCT in children and adolescents. *Bone Marrow Transplantation* 2011; 46 (6):790-799. PMID: 20818441

Satwani, P., van de Ven, C., Ayello, J., Cairo, D., Simpson, L.L., Baxi, L., and Cairo, M.S. Interleukin-15 in combination with IL-2, FLT-3 ligand and anti-CD3 significantly enhances umbilical cord blood natural killer (NK) cell and NK cell subset expansion and NK function. *Cytotherapy* 2011; 13 (6):730-738. PMID: 21213839

Shiramizu, B., Goldman, S., Kusao, I., Agsalda, M., Lynch, J., Smith, L., Harrison, L., Morris, E., Gross, T.G., Sanger, W., Perkins, S., and Cairo, M.S. Minimal disease assessment in the treatment of children and adolescents with intermediate-risk (Stage III/IV) B-cell non-Hodgkin lymphoma: A Children's Oncology Group Report. *British Journal of Haematology* 2011; 153:758-763. PMID: 21496005 PMCID: PMC3103617

Itoh, M., Kiuru, M., Cairo, M.S., Christiano, A.M. Generation of keratinocytes from normal and recessive dystrophic epidermolysis bullosa-induced pluripotent stem cells. *Proceedings of the National Academy of Sciences* 2011; 108 (21):8797-8802. PMID: 21555586 PMCID: PMC 3102348

Satwani, P., Bavishi, S., Jin, Z., Jacobson, J.S., Baker, C., Duffy, D., Lowe, L., Morris, E., Cairo, M.S. Risk factors associated with kidney injury and the impact of kidney injury on overall survival in pediatric recipients following allogeneic stem cell transplant. *Biology of Blood and Marrow Transplantation* 2011; 17 (10):1472-1480. PMID: 21338706

Geyer, M.B., Jacobson, J.S., Freedman, J., George, D., Moore, V., van de Ven, C., Satwani, P., Bhatia, M., Garvin, J.H., Bradley, M.B., Harrison, L., Morris, E., Della-Latta, P., Schwartz, J., Baxter-Lowe, L.A., and Cairo, M.S. A comparison of immune reconstitution and graft versus host disease following myeloablative conditioning (MAC) vs. reduced toxicity conditioning (RTC) and umbilical cord blood transplantation (UCBT) in paediatric recipients. *British Journal of Haematology*, 2011; 155:218-234. PMID: 21848882 PMCID: PMC3188698

George, D., El-Mallawany, N.K., Jin, Z., Geyer, M., Della-Latta, P., Satwani, P., Garvin, J.H., Bradley, M.B., Bhatia, M., van de Ven, C., Morris, E., Schwartz, J., and Cairo, M.S. Adenovirus (ADV) infection in paediatric allogeneic stem cell transplantation (AlloSCT) recipients is a major independent factor for significantly increasing the risk of treatment related mortality. *British Journal of Haematology*, 2012 Jan; 156 (1):99-108. PMID: 22008222

Satwani, P., Bhatia, M., Garvin, Jr., J.H., George, D., Dela Cruz, F., Le Gall, J., Jin, Z., Schwartz, J., Duffy, D., van de Ven, C., Foley, S., Hawks, R., Morris, E., Baxter-Lowe, L.A., and Cairo, M.S. A phase I study of gemtuzumab ozogamicin (GO) in combination with busulfan and cyclophosphamide (Bu/Cy) and allogeneic stem cell transplantation in children with poor-risk CD33+ AML: A new targeted Immunochemotherapy myeloablative conditioning (MAC) regimen. *Biology of Blood and Marrow Transplantation*, 2012 Feb; 18(2):324-329. PMID: 22079471

Cairo, M.S., Sposto, R., Gerrard, M., Auperin, A., Goldman, S., Harrison, L., Pinkerton, C.R., Raphael, M., McCarthy, K., Perkins, S.L., and Patte, C., on behalf of the FAB/LMB 96 International Study Committee. Advanced stage, elevated LDH and primary site, but not adolescent age ( $\geq 15$  years), are associated with an increased risk of failure in children and adolescents with mature B-NHL: results of the FAB/LMB 96 study. *Journal of Clinical Oncology*, 2012 Feb; 30(4):387-393. PMID: 22215753 PMCID: PMC3269965

Miles, R., Arnold, S., Cairo, M.S. Risk factors and treatment of childhood and adolescent Burkitt lymphoma/leukaemia. *British Journal of Haematology*, 2012 Mar; 156(6):730-743. PMID: 22260323

Geyer, M.B., Ricci, A.M., Jacobson, J.S., Majzner, R., Duffy, D., Van de Ven, C., Ayello, J., Bhatia, M., Garvin, Jr., J.H., George, D., Satwani, P., Harrison, L., Morris, E., Semidei-Pomales, M., Schwartz, J., Alobeid, B., Baxter-Lowe, L. A., and Cairo, M.S. T-cell depletion utilizing CD34<sup>+</sup> stem cell selection and CD3<sup>+</sup> addback from unrelated adult donors in paediatric allogeneic stem cell transplantation recipients. *British Journal of Haematology*, 2012 Apr; 157(2):205-219. PMID: 22313507

Freed, J., Talano, J., Small, T., Ricci, A., and Cairo, M.S. Allogeneic cellular and autologous stem cell therapy for sickle cell disease: "whom, when and how". *Bone Marrow Transplantation* 2012 Dec; 47:1489-1498. epub doi:10.1038/bmt.2011.245. PMID: 22179556

Barth, M., Raetz, E., and Cairo, M.S. The future role of monoclonal antibody therapy in childhood acute leukaemias. *British Journal of Haematology* 2012 Oct; 159:3-17. PMID: 22881237

Goldman, S., Smith, L., Anderson, J., Perkins, S., Harrison, L., Geyer, M.B., Gross, T.G., Weinstein, H., Bergeron, S., Shiramizu, B., Sanger, W., Barth, M., Zhi, J., and Cairo, M.S. Rituximab and FAB/LMB 96 chemotherapy in children with stage III/IV B-cell non-Hodgkin lymphoma: a Children's Oncology Group report. *Leukemia* 2013 Apr; 27:1174-1177. PMID: 22940833

LeGall, J.B., Milone, M.C., Waxman, I.M., Shaw, L.M., Harrison, L., Duffy, D., van de Ven, C., Militano, O., Geyer, M.B., Morris, E., Bhatia, M., Satwani, P., George, D., Garvin, J.H., Bradley, M.B., Schwartz, J., Baxter-Lowe, L.A., Cairo, M.S. The pharmacokinetics and safety of twice daily i.v. BU during conditioning in pediatric allo SCT recipients. *Bone Marrow Transplantation* 2013 Jan; 48:19-25; PMID: 22684047

Gerrard, M., Waxman, I.M., Sposto, R., Auperin, A., Perkins, S.L., Harrison, L., Pinkerton, R., McCarthy, K., Raphael, M., Patte, C., and Cairo, M.S. on behalf of the FAB/LMB 96 International Study Committee. Outcome and pathological classification of children and adolescents with mediastinal large B-cell lymphoma treated with FAB/LMB 96 mature B-NHL therapy: Report of the FAB/LMB 96 International Study Group. *Blood* 2013 Jan; 121:278-285. PMID: 23149845

Cairo, M.S., Woessmann, W., and Pagel, J. Advances in hematopoietic stem cell transplantation (HSCT) in childhood and adolescent lymphomas. *Biology of Blood and Marrow Transplantation* 2013 Jan; 19 (1 Suppl) S38-S43. PMID: 23073268 PMCID: PMC3700343

Satwani, P., Jin, Z., Duffy, D., Morris, E., Bhatia, M., Garvin, J.H., George, D., Bradley, M.B., Harrison, L., Petrillo, K., Schwartz, J., Foley, S., Hawks, R., Baxter-Lowe, L.A., and Cairo, M.S. Transplantation-related mortality, graft failure and survival after reduced-toxicity conditioning and allogeneic stem cell transplantation in 100 consecutive pediatric recipients. *Biology of Blood and Marrow Transplantation* 2013 Apr; 19(4):552-561. PMID: 23253557

Radhakrishnan, K., Bhatia, M., Geyer, M.B., del Toro, G., Jin, Z., Baker, C., Harrison, L., Morris, E., Baxter-Lowe, Cairo, M.S. Busulfan, fludarabine, and alemtuzumab conditioning and unrelated cord blood transplantation in children with sickle cell disease. *Biology of Blood and Marrow Transplantation* 2013 Apr; 19:676-677. PMID: 23403308

Liao, Y., Cotten, M., Tan, S., Kurtzberg, J., and Cairo, M.S. Rescuing the neonatal brain from hypoxic injury with autologous cord blood. *Bone Marrow Transplantation*, 2013 Jul; 48:890-900. PMID: 22964590

Hale, G.A., Arora, M., Ahn, K.W., He, W., Camitta, B., Bishop, M.R., Bitan, M., Cairo, M.S., Chan, K., Childs, R.W., Copelan, E., Davies, S.M., Perez, M.A.D., Doyle, J., Gale, R.P., Vicent, M.G. Horn, B.N., Hussein, A.A., Jodele, S., Kamani, N.R., Kasow, K.A., Kletzel, M., Lazarus, H.M., Lewis, V.A., Myers, K.C., Olsson, R., Pulsipher, M., Qayad, M., Sanders, J.E., Shaw, P.J., Soni, S., Stiff, P.J., Stadtmauer, E.A., Ueno, N.T., Wall, D.A., and Grupp, S.A. Allogeneic hematopoietic cell transplantation for neuroblastoma: the CIBMTR experience. *Bone Marrow Transplantation*, 2013 Aug; 48:1056-1064. PMID: 23419433

Barth, M.J., Goldman, S., Smith, L., Perkins, S., Shiramizu, B., Gross, T.G., Harrison, L., Sanger, W., Geyer, M.B., Giulino-Roth, L., and Cairo, M.S. Rituximab pharmacokinetics in children and adolescents with de novo intermediate and advanced mature B-cell lymphoma/leukaemia: a Children's Oncology Group report. *British Journal of Haematology* 2013; 162:678-683. PMID: 23802659

Lee, S.J., Storer, B., Wang, H., Lazarus, H.M., Waller, E.K., Isola, L.M., Klumpp, T.R., Umejiego, J.B.C., Savani, B.N., Loren, A.W., Cairo, M.S., Camitta, B.M., Cutler, C.S., George, B., Khoury, H.J., Marks, D.I., Rizzieri, D.A., Copelan, E.A., Gupta, V., Liesveld, J.L., Litzow, M.R., Miller, A.M., Schouten, H.C., Gale, R.P., Cahn, J-Y., and Weisdorf, D.J. Providing personalized prognostic information for adult leukemia survivors. *Biology of Blood and Marrow Transplantation*, 2013, Nov; 19(11):1600-1607. PMID: 24018394

He, W., Doyle, J., Cairo, M., Camitta, B.M., Chan, K.W., Perez, M.A.D., Fraser, C., Gross, T.G., Horan, J.T., Kennedy-Nasser, A.A., Kitko, C., Kurtzberg, J., Lehmann, L., O'Brien, T., Pulsipher, M.A., Smith, F.O., Zhang, M-J, Eapen, M., and Carpenter, P.A. on behalf of the CIBMTR Pediatric Cancer Working Committee. Outcome of transplantation for acute lymphoblastic leukemia in children with Down syndrome. In press, *Pediatric Blood and Cancer*, 2014 Jan; doi:10.1002/pbc.24918.

Smock, K.J., Agarwal, A.M., Lim, M.S., Tripp, S.R., Miles, R.R., Patel, J.L., Abromowitch, M., Lones, M.A., Cairo, M.S., and Perkins, S.L. Expression of Notch1 and mTOR pathway proteins in pediatric lymphoblastic lymphoma; a Children's Oncology Group Report. *Journal of Hematopathology* 2014; 7:9-14.

Satwani, P., Jin, Z., Martin, P.L., Bhatia, M., Garvin, J.H., George, D., Chaudhury, S., Talano, J., Sosna, J., Morris, E., Harrison, L., Peterson, M., Militano, O., Foley, S., Kurtzberg, J., and Cairo, M.S. Sequential myeloablative autologous stem cell transplantation and reduced intensity allogeneic stem cell transplantation improves the outcome in children, adolescents and young adults with poor risk refractory or recurrent Hodgkin and non-Hodgkin lymphoma. Submitted, Leukemia, 2014.

Galarzy, P.J., Hochberg, J., Perkins, S.L., Harrison, L., Goldman, S., and Cairo, M.S. Rasburicase in the prevention of laboratory/clinical tumor lysis syndrome in children with advanced mature B-NHL: A Children's Oncology Group Report. British Journal of Haematology 2013, Nov; 163(3):365-372. PMID: 24032600

Barth, M.J., Goldman, S., Smith, L., Perkins, S., Shiramizu, B., Gross, T.G., Harrison, L., Sanger, W., Geyer, M.B., Giulino-Roth, L., and Cairo, M.S. Rituximab pharmacokinetics in children and adolescents with de novo intermediate and advanced mature B-cell lymphoma/leukaemia: a Children's Oncology Group report. British Journal of Haematology 2013; 162:678-683. PMID: 23802659